

NANOCOM - TD5ENG.APP - TD5 ENGINE input file

Engine Spe	Road Speed	Idle Speed	Accel. Way	Accel. Way	Accel. Way	Accel. Supp	Battery (V)	Air Flow (g)
1983	0	1053	1.357	3.72	1.322	5	14.22	193
1958	0	1050	1.352	3.727	1.316	5	14.22	192.6
1966	0	1054	1.352	3.727	1.316	5	14.26	193.3
1963	0	1071	1.357	3.72	1.322	5	14.29	193.3
2015	0	1118	1.394	3.687	1.464	5	14.26	200.6
1979	0	1076	1.363	3.716	1.345	5	14.32	198.1
1973	0	1074	1.357	3.72	1.339	5	14.29	195.8
1987	0	1067	1.357	3.72	1.339	5	14.19	196.5
1983	0	1080	1.357	3.72	1.339	5	14.22	195.6
1990	0	1072	1.357	3.72	1.339	5	14.13	195.8
1978	0	1081	1.357	3.72	1.339	5	14.13	195.3
1987	0	1068	1.357	3.72	1.339	5	14.22	194.6
1980	0	1076	1.357	3.72	1.339	5	14.29	196.5
1994	0	1073	1.357	3.72	1.339	5	14.19	194.8
1978	0	1076	1.357	3.72	1.332	5	14.22	197.5
1982	0	1076	1.357	3.72	1.33	5	14.29	194.6
1986	0	1068	1.357	3.72	1.33	5	14.22	195.8
1982	0	1064	1.357	3.72	1.33	5	14.29	195.3
1978	0	1073	1.357	3.72	1.33	5.005	14.03	197
1983	0	1067	1.357	3.72	1.332	5	14.29	195.3
1978	0	1078	1.357	3.72	1.33	5	14.19	196.5
1980	0	1082	1.357	3.72	1.33	5	14.26	195
1984	0	1065	1.357	3.72	1.33	5	14.19	190.3
1980	0	1068	1.357	3.72	1.33	5.005	14.19	192.3
1975	0	1070	1.357	3.72	1.33	5	14.19	196.1
1986	0	9312	1.352	3.727	1.317	5	14.07	192.6
1972	0	1073	1.357	3.727	1.32	5	14.19	192
1987	0	1067	1.357	3.727	1.32	5	14.32	194.1
1971	0	1071	1.357	3.727	1.32	5	14.22	194.1
1972	0	1059	1.357	3.727	1.312	5	14.35	195.3
1983	0	1065	1.357	3.727	1.32	5	14.32	194.1
1975	0	1073	1.352	3.727	1.317	5	14.29	195.3
1968	0	1060	1.352	3.727	1.317	5	14.22	194.6
1983	0	1068	1.352	3.727	1.317	5	14.19	194.1
1974	0	1067	1.352	3.727	1.317	5	14.32	197.5
1983	0	1066	1.352	3.727	1.317	5	14.22	194.6
1973	0	1072	1.352	3.727	1.317	5	14.26	194.1
1986	0	1060	1.352	3.727	1.317	5	14.22	196.1
1976	0	1070	1.352	3.727	1.314	5	14.32	193.8
1967	0	1053	1.352	3.727	1.306	5	14.22	193
1966	0	1064	1.352	3.727	1.304	5	13.88	190.6
1970	0	1063	1.352	3.727	1.307	5	14.29	193
1977	0	1056	1.352	3.727	1.309	5	14.26	192.6
1965	0	1067	1.352	3.727	1.309	5	14.22	193.8
1975	0	1061	1.352	3.727	1.309	5	14.29	193
1972	0	1065	1.352	3.727	1.309	5	14.26	193.5
1976	0	1068	1.352	3.727	1.312	5	14.22	195

1981	0	1058	1.352	3.727	1.309	5	14.29	192.3
1977	0	1059	1.352	3.727	1.309	5	14.29	194.1
1970	0	1069	1.352	3.727	1.302	5	14.29	192.6
1975	0	1054	1.352	3.727	1.301	5	14.19	192.6
1963	0	1054	1.352	3.727	1.299	5	14.32	192.5
1956	0	1063	1.352	3.727	1.299	5	14.19	195

Ambient Pr	Manifold T	Air Inlet Te	Coolant Te	Fuel Temp.	EGR Inlet (°C)	EGR Modul	Wastegate	Cylinder 1
101.79	115.58	24.5	73.1	61.5	0	0	0	1
101.9	115.86	24.5	73.1	61.5	0	0	0	0
101.79	115.86	24.5	73.1	61.7	0	0	0	0
101.69	115.86	24.5	73.1	61.7	0	0	0	1
101.69	116.16	24.3	73.1	61.7	0	0	0	2
101.58	116.44	24.5	73.3	61.7	0	0	0	-1
101.79	115.87	24.5	73.4	61.7	0	0	0	1
101.69	115.87	24.3	73.4	61.9	0	0	0	0
101.69	115.87	24.5	73.4	61.9	0	0	0	1
101.58	116.16	24.3	73.6	61.9	0	0	0	0
101.69	115.87	24.3	73.6	61.9	0	0	0	0
101.69	116.15	24.5	73.6	61.9	0	0	0	-1
101.69	116.15	24.5	73.9	61.9	0	0	0	1
101.58	116.15	24.5	73.9	62	0	0	0	1
101.69	116.44	24.5	74	62	0	0	0	1
101.58	116.15	24.5	74	62	0	0	0	0
101.79	116.15	24.6	74	62	0	0	0	1
101.69	115.87	24.6	74.3	62.2	0	0	0	-1
101.58	116.15	24.6	74.3	62.2	0	0	0	-1
101.69	115.87	24.6	74.3	62.2	0	0	0	1
101.69	116.15	24.6	74.4	62.2	0	0	0	2
101.69	116.15	24.6	74.5	62.2	0	0	0	-1
101.69	116.15	24.6	74.5	62.2	0	0	0	1
101.69	116.16	24.6	74.5	62.2	0	0	0	1
101.79	116.15	24.6	74.6	62.2	0	0	0	3
101.69	116.15	24.6	74.6	62.2	0	0	0	1
101.58	115.87	24.7	75	62.2	0	0	0	1
101.79	115.87	24.7	75	62.4	0	0	0	2
101.69	116.16	24.7	75	62.5	0	0	0	1
101.79	115.87	24.7	75	62.5	0	0	0	0
101.69	116.15	24.7	75	62.5	0	0	0	1
101.9	116.44	24.7	75.1	62.7	0	0	0	0
101.79	115.87	24.7	75.1	62.7	0	0	0	1
101.79	116.44	24.7	75.4	62.7	0	0	0	2
101.79	116.44	24.7	75.4	62.7	0	0	0	0
101.69	116.04	24.7	75.4	62.7	0	0	0	1
101.9	116.44	24.7	75.6	62.9	0	0	0	0
101.79	116.16	24.7	75.6	62.9	0	0	0	0
101.79	116.44	24.7	75.8	62.9	0	0	0	-2
101.79	115.87	24.7	75.9	63	0	0	0	1
101.79	116.15	24.8	75.9	63	0	0	0	2
101.79	116.16	24.7	76	63	0	0	0	0
101.9	115.87	24.7	76	63	0	0	0	1
101.9	116.16	24.7	76.1	63	0	0	0	1
101.9	116.16	24.7	76.1	63	0	0	0	1
101.9	116.16	24.7	76.1	63.2	0	0	0	0
101.9	116.44	24.7	76.4	63.2	0	0	0	1

101.9	116.16	24.7	76.4	63.2	0	0	0	1
102	116.16	24.7	76.5	63.4	0	0	0	1
101.9	116.44	24.7	76.5	63.4	0	0	0	-1
101.9	116.15	24.7	76.5	63.4	0	0	0	2
101.79	116.15	24.7	76.5	63.5	0	0	0	0
101.9	116.44	24.7	76.8	63.5	0	0	0	0

Cylinder 2	Cylinder 3	Cylinder 4	Cylinder 5
------------	------------	------------	------------

-1	7	-8	0
-1	8	-8	1
1	6	-9	2
-1	8	-8	0
1	7	-10	0
-2	7	-6	2
0	6	-8	0
-1	7	-7	2
-1	6	-6	3
1	8	-9	1
-1	8	-10	1
0	8	-7	0
0	7	-9	1
-1	6	-7	1
-1	7	-8	1
0	7	-8	2
-3	7	-6	1
1	7	-9	2
-1	8	-10	2
0	6	-6	0
-1	7	-9	1
-2	6	-4	3
-1	5	-6	0
-1	7	-9	3
-5	7	-7	2
-1	6	-7	3
1	7	-9	0
-1	6	-9	2
-2	7	-8	2
1	6	-7	1
-1	7	-8	0
0	7	-9	2
-1	5	-7	0
-1	6	-7	0
0	8	-9	1
-1	7	-7	1
1	6	-8	1
0	7	-9	1
0	8	-7	2
1	6	-8	0
-2	7	-6	0
-3	7	-6	2
0	7	-8	1
0	7	-9	1
-2	7	-9	2
1	6	-8	2
-1	7	-7	0

0	7	-9	1
-3	6	-7	1
1	7	-8	3
0	7	-9	0
0	6	-8	1
1	6	-6	-1